



Ergonomy and Safety

The Novopress pressing unit ECO202 of course provides the well known comfort features, like the electronic jaw-retention-bolt and the logbook, but there are more additional features included, that make working faster and safer. The time to complete a press joint was drastically reduced and thanks to the lighter and smaller design, ergonomic working is assured. The ECO202 covers the complete compatible range of use up to 54 (108) mm metal pipes and up to 110 mm plastic pipes - equivalent to the battery driven pressing unit ACO202. The ECO202 is available in many worldwide requested power specifications.



Metal up to 54 (108) mm
Plastic up to 110 mm



One-hand operation

Advantages:

- Electronic monitoring of the jaw-locking-bolt and visual error indicator - for additional operational safety
- Electronic logbook - allows for precise and quick analysis in case of errors
- Available in many worldwide requested power specifications

Comfort-Line Pressing Unit ECO202

The unit is provided with an automatic sequence control, i. e., right from the beginning of power build-up, pressing takes place fully automatically, incl. return, of course. At the end of a successful press cycle, the motor is switched off automatically. A manual release valve, by which the press cycle can be interrupted anytime, ensures a high degree of application safety.

The pressing unit ECO202 can be used with all compatible Novopress press jaws produced since 1972, forming the usual reliable whole. When the jaw is inserted, the device's mass centre is at the handle area, so that the unit lies safe and comfortably in the hand.



Technical data ECO202

Dimensions:	Up to 54 mm metal pipe (depending on system up to 108 mm) / up to 110 mm plastic pipe
Weight:	3.9 kg
Length:	430 mm
Width:	75 mm
Height:	111 mm
Power consumption:	450 W
Piston force:	32 kN
Piston stroke:	40 mm



Compatible press jaws and press collars

